

Safety Data Sheet

According to regulation (EC) No. 1907/2006 (REACH)



26140 XSL Translucent Red

Page 1

Revised edition: 19.12.2018

Version: 6.0

Printed: 13.06.2019

1. Identification of the Substance/Mixture and of the Company/Undertaking

1.1. Product Identifier

Product Name: XSL Translucent Red

Article No.: 26140

1.2. Relevant identified Uses of the Substance or Mixture and Uses advised against

Identified uses:
Coloring agent for dye and varnish industry

Uses advised against:

1.3. Details of the Supplier of the Safety Data Sheet (Producer/Importer)

Company: Kremer Pigmente GmbH & Co. KG

Address: Hauptstr. 41-47, 88317 Aichstetten, Germany

Tel./Fax.: Tel +49 7565 914480, Fax +49 7565 1606

Internet: www.kremer-pigmente.de

E-Mail: info@kremer-pigmente.de

Importer: --

1.4. Emergency No.

Emergency No.: +49 7565 914480 (Mon-Fri 8:00 - 17:00)

1.4.2 Poison Center:

2. Hazards Identification

2.1. Classification of the Substance or Mixture

Classification according to Regulation (EC) No. 1272/2008 (CLP/GHS)

This product does not require classification and labelling as hazardous according to CLP/GHS.

Possible Environmental Effects:

2.2. Label Elements

Classification according to Regulation (EC) No. 1272/2008 (CLP/GHS)

No classification required according to the CLP/GHS guidelines.

Hazard designation:

Not applicable.

Signal word:

Hazard designation:

Safety designation:

Hazardous components for labelling:

2.3. Other Hazards

EUH208: contains 1,2-Benzisothiazol-3(2H)-one. Can cause allergic reactions.

This product is capable of dust explosion under certain circumstances.

Safety Data Sheet

According to regulation (EC) No. 1907/2006 (REACH)



26140 XSL Translucent Red

Page 2

Revised edition: 19.12.2018

Version: 6.0

Printed: 13.06.2019

3.

3.1. Substance

3.2. Mixture

Chemical Characterization: Iron oxide pigment, water dispersable powder. Pigment Red 101, C.I. 77491

Information on Components / Hazardous Ingredients:

2-Butenedioic acid (2Z-)- polymer with 2-methyl-1-propene and octadecene, sodium salt (H319)	25 - 50 %	CAS-Nr: 191175-18-5 EINECS-Nr: EC-Nr:
--	-----------	---

Additional information:

4. First Aid Measures

4.1. Description of the First Aid Measures

General information:

Remove contaminated clothes.

After inhalation:

*Supply fresh air.
Get medical help.*

After skin contact:

*Wash with soap and rinse with plenty of water.
Remove contaminated clothing.*

After eye contact:

Rinse open eye for several minutes under running water. Should irritation continue, seek medical advice.

After ingestion:

Rinse mouth with water and drink plenty of water.

4.2. Most important Symptoms and Effects, both Acute and Delayed

Symptoms:

No further information available.

Effects:

4.3. Indication of any Immediate Medical Attention and special Treatment needed

Treatment:

Treat symptomatically.

5. Fire-Fighting Measures

5.1. Extinguishing Media

Suitable extinguishing media:

Extinguishing powder, foam.

Unsuitable extinguishing media:

Carbon dioxide (CO₂)

5.2. Special Hazards arising from the Substance or Mixture

next page: 3

Safety Data Sheet

According to regulation (EC) No. 1907/2006 (REACH)



26140 XSL Translucent Red

Page 3

Revised edition: 19.12.2018

Version: 6.0

Printed: 13.06.2019

Special hazards:

In case of fire: hazardous vapors may be released. Development of fumes/aerosol.

5.3. Advice for Firefighters

Protective equipment:

Wear self-contained respiratory protective device.

Further information:

Avoid formation of dust: risk of dust explosion.

Avoid contamination of sewage system, open water ways and ground water.

6. Accidental Release Measures

6.1. Personal Precautions, Protective Equipment and Emergency Procedures

Personal precautions:

Avoid formation of dust, wear protective clothing.

6.2. Environmental Precautions

Environmental precautions:

Keep spills and cleaning runoff out of municipal sewers and open bodies of water.

6.3. Methods and Material for Containment and Cleaning Up

Methods and material:

Small spills:

Clean up with suitable appliance and dispose adequately.

Large spills:

Contain with dust binding material and dispose accordingly.

6.4. Reference to other Sections

Protective clothing, see Section 8.

Dispose of contaminated material according to Section 13.

7. Handling and Storage

7.1. Precautions for Safe Handling

Instructions on safe handling:

Respiratory protection when handling without exhaust system.

Hygienic measures:

Wash hands with soap and water.

7.2. Conditions for Safe Storage, including any Incompatibilities

Storage conditions:

Store in tightly sealed containers in a dry and cool room.

Protect against heat.

Do not store above 100°C.

Requirements for storage areas and containers:

Information on fire and explosion protection:

Avoid dust formation. Protect against electrostatic charging.

next page: 4

Safety Data Sheet

According to regulation (EC) No. 1907/2006 (REACH)



26140 XSL Translucent Red

Page 4

Revised edition: 19.12.2018

Version: 6.0

Printed: 13.06.2019

Storage class:

11; Combustible solids

Further Information:

7.3. Specific End Use(s)

Further information:

See Section 1.2.; no other uses provided

8. Exposure Controls/Personal Protection

8.1. Parameters to be Controlled

Parameters to be controlled (DE):

1,2-Benzisothiazol-3(2H)-one (CAS 2634-33-5)

Parameters to be controlled:

Derived No-Effect Level (DNEL):

Predicted No-Effect Concentration (PNEC):

Additional Information:

8.2. Exposure Controls

Technical protective measures:

Personal Protection

General protective measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Do not inhale dust. Do not eat, drink or smoke while working. Wash hands before breaks and at the end of work.

Respiratory protection:

Suitable respiratory protection for lower concentration or short-term effect: particle filter with medium efficiency for solid and liquid particles (e.g. EN 143 or 149, type P2 or FFP2).

Hand protection:

Protective gloves (EN 374)

The manufacturer's directions for use should be observed because of the great diversity of types.

Protective glove material:

Nitrile rubber (0.4 mm), chloroprene rubber (0.5 mm), polyvinyl chloride (0.7 mm).

Suitability and durability of a glove is dependent on usage, e.g. frequency and duration of contact, chemical resistance of glove material and dexterity. Always seek advice from glove suppliers.

Eye protection:

Safety glasses with protective shields (EN 166).

Body protection:

Protective clothing.

Environmental precautions:

Avoid contamination of sewage system, open water ways and next page:

Safety Data Sheet

According to regulation (EC) No. 1907/2006 (REACH)



26140 XSL Translucent Red

Page 5

Revised edition: 19.12.2018

Version: 6.0

Printed: 13.06.2019

ground water.

9. Physical and Chemical Properties

9.1. Information on Basic Physical and Chemical Properties

<i>Form:</i>	<i>granules</i>
<i>Color:</i>	<i>red</i>
<i>Odor:</i>	<i>odorless</i>
<i>Odor threshold:</i>	<i>No information available.</i>
<i>pH-Value:</i>	<i>7.5 - 9.5 (100 g/l)</i>
<i>Melting temperature:</i>	<i>not determined</i>
<i>Boiling temperature:</i>	<i>not applicable</i>
<i>Flash point:</i>	<i>not applicable</i>
<i>Evaporation rate:</i>	<i>This product is a non-volatile solid.</i>
<i>Flammability (solid, gas):</i>	<i>> 500°C not flammable</i>
<i>Upper explosion limit:</i>	<i>not determined</i>
<i>Lower explosion limit:</i>	<i>not determined</i>
<i>Vapor pressure:</i>	<i>not applicable</i>
<i>Vapor density:</i>	<i>This product is a non-volatile solid.</i>
<i>Density:</i>	<i>not available</i>
<i>Solubility in water:</i>	<i>50 g/l (15°C)</i>
<i>Coefficient of variation (n-Octanol/Water):</i>	<i>not applicable</i>
<i>Auto-ignition temperature:</i>	<i>Product is not auto-ignitable.</i>
<i>Decomposition temperature:</i>	<i>> 300 J/g (DDK (DIN 51007))</i>
<i>Viscosity, dynamic:</i>	<i>not applicable</i>
<i>Explosive properties:</i>	<i>Product does not present an explosion hazard.</i>

next page: 6

Safety Data Sheet

According to regulation (EC) No. 1907/2006 (REACH)



26140 XSL Translucent Red

Page 6

Revised edition: 19.12.2018

Version: 6.0

Printed: 13.06.2019

Risk of dust explosion.

Oxidizing properties:

not oxidizing

Bulk density:

300 - 1000 kg/m³

9.2. Further Information

Solubility in solvents:

Viscosity, kinematic

Burning class:

Solvent content:

Solid content:

Particle size:

Other information:

Burning rate: 200 mm

Self-heating ability: This product is not a self-heating substance according to the UN class 4.2 (UN Test N.4)

Hygroscopy: not hygroscopic

10. Stability and Reactivity

10.1. Reactivity

Stable if used according to specifications.

10.2. Chemical Stability

Stable if used according to specifications.

10.3. Possibility of Hazardous Reactions

The product may contain explosive fine dust or such dust may be produced by abrasion during transport or product transfer.

10.4. Conditions to Avoid

Conditions to avoid:

Avoid formation of dust.

Thermal decomposition:

10.5. Incompatible Materials

None known.

10.6. Hazardous Decomposition Products

None if stored and handled according to specifications.

10.7. Further Information

11. Toxicological Information

11.1. Information on Toxicological Effects

Acute Toxicity

LD50, oral: > 5000 mg/kg

LD50, dermal: > 5000 mg/kg

LC50, inhalation:

No information available.

next page: 7

Safety Data Sheet

According to regulation (EC) No. 1907/2006 (REACH)



26140 XSL Translucent Red

Page 7

Revised edition: 19.12.2018

Version: 6.0

Printed: 13.06.2019

Primary effects

Irritant effect on skin:

Non irritating (rabbit; OECD 404)

Irritant effect on eyes:

Non-irritating to eyes (rabbit; OECD 405)

Inhalation:

No information available.

Ingestion:

No information available

Sensitization:

No sensitizing effects known (guinea pig; OECD 406).

Mutagenicity:

No relevant data found.

Reproductive toxicity:

No relevant data found.

Carcinogenicity:

No relevant data found.

Teratogenicity:

No information available.

Specific target organ toxicity (STOT):

No relevant data found.

Additional toxicological information:

The data refer to the properties of the individual components.

12. Ecological Information

12.1. Aquatic Toxicity

Harmful to aquatic organisms.

Fish toxicity:

*LC50: > 100 mg/l (96h, *Leuciscus idus*)*

Daphnia toxicity:

not determined

Bacteria toxicity:

not determined

Algae toxicity:

not determined

12.2. Persistency and Degradability

Not readily biodegradable.

Can be eliminated from water by chemical adsorption.

12.3. Bioaccumulation

No bioaccumulation expected.

12.4. Mobility

No accumulation by the organisms.

next page: 8

Safety Data Sheet

According to regulation (EC) No. 1907/2006 (REACH)



26140 XSL Translucent Red

Page 8

Revised edition: 19.12.2018

Version: 6.0

Printed: 13.06.2019

Does not evaporate from the surface of the water to the atmosphere.

12. 5. Results of PBT- und vPvP Assessment

According to Annex VIII to Regulation (EC) No. 1907/2006 (REACH): this product is neither a PBT (persistent/bioaccumulative/toxic) or vPvB (very persistent/very bioaccumulative/very toxic) substance nor does it contain a PBT or vPvB substance.

12. 6. Other Adverse Effects

Water hazard class:

1, slightly hazardous (German Regulation; Self-assessment).

Behaviour in sewage systems:

Treatment and discharge of waste water into biological treatment plant should be carried out according to official national and local regulations.

Further ecological effects:

*Do not discharge product uncontrolled into the environment.
The data refer to the properties of the individual components.*

AOX Value:

13. Disposal Considerations

13. 1. Waste Treatment Methods

Product:

In accordance with current regulations, product may be taken to a waste disposal site or incineration plant, after consultation with site operator and/or with the responsible authority.

European Waste Code (EWC):

Uncleaned packaging:

Packaging may be disposed of in the same manner as the product.

Uncontaminated packaging may be recycled. Completely empty packaging can be disposed of with the regular waste.

Waste Code No.:

14. Transport Information

14. 1. UN Number

ADR, IMDG, IATA

14. 2. UN Proper Shipping Name

ADR/RID:

No hazardous goods according to ADR (land transportation).

IMDG/IATA:

No hazardous goods according to IMDG.

14. 3. Transport Hazard Classes

ADR Class:

not applicable

next page: 9

Safety Data Sheet

According to regulation (EC) No. 1907/2006 (REACH)



26140 XSL Translucent Red

Page 9

Revised edition: 19.12.2018

Version: 6.0

Printed: 13.06.2019

Hazard no.:

Classification code:

Tunnel restriction code:

IMDG Class (sea):

Hazard no.:

EmS No.:

IATA Class:

not applicable

Hazard no.:

14. 4. Packaging Group

ADR/RID:

not applicable

IMDG:

IATA:

14. 5. Environmental Hazards

None

14. 6. Special Precautions for User

Not classified as a dangerous good under transport regulations.

14. 7. Transportation in Bulk according to Annex II of MARPOL 73/78 and IBC-Code

not evaluated

14. 8. Further Information

15. Regulatory Information

15. 1. Safety, Health and Environmental Regulations/Legislation specific for the Substance or Mixture

Water hazard class:

1, slightly hazardous for water (according to the German Regulation AwSV)

Local regulations on chemical accidents:

Employment restrictions:

Restriction and prohibition of application:

Technical instructions on air quality:

15. 2. Chemical Safety Assessment

A Chemical Safety Assessment is not necessary for this product.

15. 3. Further Information

Regulation (EC) 2037/2000 - Substances that Deplete the Ozone Layer: not regulated / not applicable

16. Other Information

This product should be stored, handled and used in accordance with good hygiene practices and in conformity with any legal regulations. This information contained herein is based on the present state of knowledge and is intended to describe our product

next page: 10

Safety Data Sheet

According to regulation (EC) No. 1907/2006 (REACH)



26140 XSL Translucent Red

Page 10

Revised edition: 19.12.2018

Version: 6.0

Printed: 13.06.2019

from the point of view of safety requirements. It should be therefore not be construed as guaranteeing specific properties.