

Safety Data Sheet

According to regulation (EC) No. 1907/2006 (REACH)



26500 XSL Phthalo Green Dark, PG 7

Page 1

Revised edition: 18.12.2018

Version: 6.0

Printed: 21.12.2018

1. Identification of the Substance/Mixture and of the Company/Undertaking

1.1. Product Identifier

Product Name: XSL Phthalo Green Dark, PG 7

Article No.: 26500

1.2. Relevant identified Uses of the Substance or Mixture and Uses advised against

Identified uses:

Coloring agent for dye and varnish industry

Uses advised against:

1.3. Details of the Supplier of the Safety Data Sheet (Producer/Importer)

Company: Kremer Pigmente GmbH & Co. KG

Address: Hauptstr. 41-47, 88317 Aichstetten, Germany

Tel./Fax.: Tel +49 7565 914480, Fax +49 7565 1606

Internet: www.kremer-pigmente.de

E-Mail: info@kremer-pigmente.de

Importer: --

1.4. Emergency No.

Emergency No.: +49 7565 914480 (Mon-Fri 8:00 - 17:00)

2. Hazards Identification

2.1. Classification of the Substance or Mixture

Classification according to Regulation (EC) No. 1272/2008 (CLP/GHS)

This product does not require classification and labelling as hazardous according to CLP/GHS.

Classification according to Directive No. 67/548/EC or No. 1999/45/EC

The material is not subject to classification according to EC lists.

Safety Phrases:

Possible Environmental Effects:

2.2. Label Elements

Classification according to Regulation (EC) No. 1272/2008 (CLP/GHS)

No classification required according to the CLP/GHS guidelines.

Hazard designation:

Not applicable.

Signal word:

Hazard designation:

Safety designation:

Hazardous components for labelling:

2.3. Other Hazards

This product is capable of dust explosion under certain

next page: 2

Safety Data Sheet

According to regulation (EC) No. 1907/2006 (REACH)



26500 XSL Phthalo Green Dark, PG 7

Page 2

Revised edition: 18.12.2018

Version: 6.0

Printed: 21.12.2018

circumstances.

EUH208: contains 1,2-Benzisothiazol-3(2H)-one. Can cause allergic reactions.

3. Composition/Information on Ingredients

3.1. Substance

3.2. Mixture

Chemical Characterization:

Copper phthalocyanine pigment, halogenated, water dispersable powder (WP). Pigment Green 7, C.I. 74260

Information on Components / Hazardous Ingredients:

Additional information:

4. First Aid Measures

4.1. Description of the First Aid Measures

General information:

Remove contaminated clothes.

After inhalation:

Supply fresh air and seek medical advice in case of complaints.

After skin contact:

Remove contaminated clothing. Wash off immediately with plenty of water and soap.

After eye contact:

Rinse open eyes with plenty of water for at least 15 minutes.

After ingestion:

Rinse mouth with water and drink plenty of water.

4.2. Most important Symptoms and Effects, both Acute and Delayed

Symptoms:

No further information available.

Effects:

4.3. Indication of any Immediate Medical Attention and special Treatment needed

Treatment:

Symptomatic treatment (decontamination, vital functions), no specific antidote known.

5. Fire-Fighting Measures

5.1. Extinguishing Media

Suitable extinguishing media:

Extinguishing powder, foam.

Unsuitable extinguishing media:

Carbon dioxide (CO₂)

5.2. Special Hazards arising from the Substance or Mixture

Special hazards:

In case of fire: hazardous vapors may be released. Development

next page: 3

Safety Data Sheet

According to regulation (EC) No. 1907/2006 (REACH)



26500 XSL Phthalo Green Dark, PG 7

Page 3

Revised edition: 18.12.2018

Version: 6.0

Printed: 21.12.2018

of fumes/aerosol.

5.3. Advice for Firefighters

Protective equipment:

Wear self-contained respiratory protective device.

Further information:

Avoid formation of dust: risk of dust explosion.

Dispose of fire debris and contaminated extinguishing water in accordance with local regulations.

6. Accidental Release Measures

6.1. Personal Precautions, Protective Equipment and Emergency Procedures

Personal precautions:

Avoid formation of dust, wear protective clothing.

6.2. Environmental Precautions

Environmental precautions:

Keep spills and cleaning runoff out of municipal sewers and open bodies of water.

6.3. Methods and Material for Containment and Cleaning Up

Methods and material:

Small spills:

Clean up with suitable appliance and dispose adequately.

Large spills:

Contain with dust binding material and dispose accordingly.

6.4. Reference to other Sections

See Section 13 for information on disposal.

Protective clothing, see Section 8.

7. Handling and Storage

7.1. Precautions for Safe Handling

Instructions on safe handling:

Respiratory protection when handling without exhaust system.

Hygienic measures:

Do not inhale dust. Wash hands before breaks and at the end of work.

7.2. Conditions for Safe Storage, including any Incompatibilities

Storage conditions:

Store in tightly sealed containers in a dry and cool room.

Protect against heat.

Requirements for storage areas and containers:

Information on fire and explosion protection:

Avoid dust formation. Protect against electrostatic charging.

Dust explosion class 2 (Kst-value 200 - 300 bar m/s).

Storage class (VCI):

next page: 4

Safety Data Sheet

According to regulation (EC) No. 1907/2006 (REACH)



26500 XSL Phthalo Green Dark, PG 7

Page 4

Revised edition: 18.12.2018

Version: 6.0

Printed: 21.12.2018

11; Combustible solids

Further Information:

7.3. Specific End Use(s)

Further information:

8. Exposure Controls/Personal Protection

8.1. Parameters to be Controlled

Parameters to be controlled (DE):

No occupational exposure limits known.

Parameters to be controlled:

ACGIH TLV (USA): 1 mg/m³ (as Cu, inhalable fraction); 0.2 mg/m³ (as Cu, airborne fraction)

Derived No-Effect Level (DNEL):

Predicted No-Effect Concentration (PNEC):

Additional Information:

8.2. Exposure Controls

Technical protective measures:

Personal Protection

General protective measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Protective clothing recommended due to the coloring effects of the product.

Respiratory protection:

Suitable respiratory protection for lower concentration or short-term effect: particle filter with medium efficiency for solid and liquid particles (e.g. EN 143 or 149, type P2 or FFP2).

Hand protection:

Chemical protective gloves (EN 374 (Europe), F739 (US)).

The manufacturer's directions for use should be observed because of the great diversity of types.

Protective glove material:

Recommended: Protective index 6, > 480 min. of permeation time accord. EN 374.

Nitrile rubber (0.4 mm), chloroprene rubber (0.5 mm), polyvinyl chloride (0.7 mm).

Suitability and durability of a glove is dependent on usage, e.g. frequency and duration of contact, chemical resistance of glove material and dexterity. Always seek advice from glove suppliers.

Eye protection:

Safety glasses with protective shields (EN 166).

Body protection:

Protective clothing.

next page: 5

Safety Data Sheet

According to regulation (EC) No. 1907/2006 (REACH)



26500 XSL Phthalo Green Dark, PG 7

Page 5

Revised edition: 18.12.2018

Version: 6.0

Printed: 21.12.2018

Environmental precautions:

Prevent from getting into the soil, surface water and sewage system.

9. Physical and Chemical Properties

9.1. Information on Basic Physical and Chemical Properties

<i>Form:</i>	<i>granules</i>
<i>Color:</i>	<i>green</i>
<i>Odor:</i>	<i>odorless</i>
<i>Odor threshold:</i>	<i>No information available.</i>
<i>pH-Value:</i>	<i>8 - 10 (100 g/l; suspension)</i>
<i>Melting temperature:</i>	<i>> 100°C</i>
<i>Boiling temperature:</i>	<i>not determined</i>
<i>Flash point:</i>	<i>not applicable</i>
<i>Evaporation rate:</i>	<i>This product is a non-volatile solid.</i>
<i>Flammability (solid, gas):</i>	<i>400°C not easily flammable</i>
<i>Upper explosion limit:</i>	<i>no information available</i>
<i>Lower explosion limit:</i>	<i>no information available</i>
<i>Vapor pressure:</i>	<i>not applicable</i>
<i>Vapor density:</i>	<i>This product is a non-volatile solid.</i>
<i>Density:</i>	<i>not available</i>
<i>Solubility in water:</i>	<i>miscible</i>
<i>Coefficient of variation (n-Octanol/Water):</i>	<i>not applicable</i>
<i>Auto-ignition temperature:</i>	<i>Product is not auto-ignitable.</i>
<i>Decomposition temperature:</i>	<i>> 200°C</i>
<i>Viscosity, dynamic:</i>	<i>not applicable</i>
<i>Explosive properties:</i>	

next page: 6

Safety Data Sheet

According to regulation (EC) No. 1907/2006 (REACH)



26500 XSL Phthalo Green Dark, PG 7

Page 6

Revised edition: 18.12.2018

Version: 6.0

Printed: 21.12.2018

Product does not present an explosion hazard.

Oxidizing properties:

not oxidizing

Bulk density:

500 - 600 kg/m³

9.2. Further Information

Solubility in solvents:

Viscosity, kinematic

Burning class:

Solvent content:

Solid content:

Particle size:

Other information:

Self-heating ability: This product is not self-heating.

Burning rate: 200 mm

Minimum ignition energy: > 4 J (1 bar, 20°C), Particle size distribution: > 35 µm

Hygroscopy: not hygroscopic

10. Stability and Reactivity

10.1. Reactivity

Stable if used according to specifications.

10.2. Chemical Stability

Stable if used according to specifications.

10.3. Possibility of Hazardous Reactions

Risk of dust explosion.

10.4. Conditions to Avoid

Conditions to avoid:

Avoid formation of dust.

Thermal decomposition:

10.5. Incompatible Materials

None known.

10.6. Hazardous Decomposition Products

None if stored and handled according to specifications.

10.7. Further Information

11. Toxicological Information

11.1. Information on Toxicological Effects

Acute Toxicity

LD50, oral:

> 2000 mg/kg (rat)

LD50, dermal:

No information available.

LC50, inhalation:

next page: 7

Safety Data Sheet

According to regulation (EC) No. 1907/2006 (REACH)



26500 XSL Phthalo Green Dark, PG 7

Page 7

Revised edition: 18.12.2018

Version: 6.0

Printed: 21.12.2018

No information available.

Primary effects

Irritant effect on skin:

Slight irritant effect (rabbit; OECD 404)

Irritant effect on eyes:

Non-irritating to eyes (rabbit; OECD 405)

Inhalation:

No information available.

Ingestion:

No information available

Sensitization:

*Non sensitizing (guinea pig; OECD 406).
No sensitizing effects known.*

Mutagenicity:

No mutagenic effects known.

Reproductive toxicity:

No relevant data found.

Carcinogenicity:

No cancerogenic effect known.

Teratogenicity:

No information available.

Specific target organ toxicity (STOT):

*Single exposure: no organospecific toxicity expected.
Repeated exposure: no information available.*

Additional toxicological information:

Aspiration hazard: not applicable

12. Ecological Information

12.1. Aquatic Toxicity

Not hazardous for aqueous organisms.

Fish toxicity:

*LC50: > 100 mg/l (96h, *Leuciscus idus*)*

Daphnia toxicity:

No information available.

Bacteria toxicity:

not determined

Algae toxicity:

No information available.

12.2. Persistency and Degradability

*Not readily biodegradable.
Can be eliminated from water by chemical adsorption.*

next page: 8

Safety Data Sheet

According to regulation (EC) No. 1907/2006 (REACH)



26500 XSL Phthalo Green Dark, PG 7

Page 8

Revised edition: 18.12.2018

Version: 6.0

Printed: 21.12.2018

12.3. Bioaccumulation

No bioaccumulation expected.

12.4. Mobility

Does not evaporate from the surface of the water to the atmosphere.

Adsorption to solid soil phase is not expected.

12.5. Results of PBT- und vPvP Assessment

According to Annex VIII to Regulation (EC) No. 1907/2006 (REACH): this product is neither a PBT (persistent/bioaccumulative/toxic) or vPvB (very persistent/very bioaccumulative/very toxic) substance nor does it contain a PBT or vPvB substance.

12.6. Other Adverse Effects

Water hazard class:

1 (German Regulation) (Assessment by list): slightly hazardous.

Behaviour in sewage systems:

Treatment and discharge of waste water into biological treatment plant should be carried out according to official national and local regulations.

Further ecological effects:

*Do not discharge product uncontrolled into the environment.
The product does not contain any substances which can deplete the ozone layer, according to Section I of EC-Directive 2037/2000/EC.*

AOX Value:

Product contains according to the formulation, organically bound halogen. It can increase the AOX-value in the water purification plants overflow or if it reaches waters.

13. Disposal Considerations

13.1. Waste Treatment Methods

Product:

In accordance with current regulations, product may be taken to a waste disposal site or incineration plant, after consultation with site operator and/or with the responsible authority.

European Waste Code (EWC):

Uncleaned packaging:

Packaging may be disposed of in the same manner as the product.

Untaminated packaging may be recycled. Completely empty packaging can be disposed of with the regular waste.

Waste Code No.:

14. Transport Information

14.1. UN Number

ADR, IMDG, IATA

14.2. UN Proper Shipping Name

next page: 9

Safety Data Sheet

According to regulation (EC) No. 1907/2006 (REACH)



26500 XSL Phthalo Green Dark, PG 7

Page 9

Revised edition: 18.12.2018

Version: 6.0

Printed: 21.12.2018

ADR/RID:

No hazardous goods according to ADR (land transportation).

IMDG/IATA:

No hazardous goods according to IMDG.

14.3. Transport Hazard Classes

ADR Class:

not applicable

Hazard no.:

Classification code:

Tunnel restriction code:

IMDG Class (sea):

Hazard no.:

EmS No.:

IATA Class:

not applicable

Hazard no.:

14.4. Packaging Group

ADR/RID:

not applicable

IMDG:

IATA:

14.5. Environmental Hazards

None

14.6. Special Precautions for User

14.7. Transportation in Bulk according to Annex II of MARPOL 73/78 and IBC-Code

not applicable

14.8. Further Information

15. Regulatory Information

15.1. Safety, Health and Environmental Regulations/Legislation specific for the Substance or Mixture

Water hazard class:

1, slightly hazardous for water (according to the German Regulation AwSV)

Local regulations on chemical accidents:

Employment restrictions:

Restriction and prohibition of application:

EC. REACH, Section XVII, Restrictions on the Manufacture, Placing on the Market and Use of Certain Dangerous Substances, Preparations and Articles, Registered no. 28, 29.

Technical instructions on air quality:

next page: 10

Safety Data Sheet

According to regulation (EC) No. 1907/2006 (REACH)



26500 XSL Phthalo Green Dark, PG 7

Page 10

Revised edition: 18.12.2018

Version: 6.0

Printed: 21.12.2018

15.2. Chemical Safety Assessment

A Chemical Safety Assessment is not necessary for this product.

15.3. Further Information

Listed in the following inventories:

TSCA (US)

California Prop. 65: WARNING! This product contains a chemical known to the State of California to cause cancer: ETHYLENE OXIDE

NFPA Ratings (USA): Health: 1; Fire: 0; Reactivity: 0

HMIS-Ratings (USA): Health hazard: 1 (Slight hazard);

Flammability: 1 (Slight hazard); Reactivity: 0 (Stable)

16. Other Information

This product should be stored, handled and used in accordance with good hygiene practices and in conformity with any legal regulations. This information contained herein is based on the present state of knowledge and is intended to describe our product from the point of view of safety requirements. It should be therefore not be construed as guaranteeing specific properties.