

Safety Data Sheet

According to regulation (EC) No. 1907/2006 (REACH)



50095 XIRALLIC® NXT M260-70 SW Amur Black

Page 1

Revised edition: 23.08.2019

Version: 1.2

Printed: 07.01.2020

1. Identification of the Substance/Mixture and of the Company/Undertaking

1.1. Product Identifier

Product Name: XIRALLIC® NXT M260-70 SW Amur Black

Article No.: 50095

1.2. Relevant identified Uses of the Substance or Mixture and Uses advised against

Identified uses:

Coloring agent

Uses advised against:

1.3. Details of the Supplier of the Safety Data Sheet (Producer/Importer)

Company: Kremer Pigmente GmbH & Co. KG

Address: Hauptstr. 41-47, 88317 Aichstetten, Germany

Tel./Fax.: Tel +49 7565 914480, Fax +49 7565 1606

Internet: www.kremer-pigmente.com

E-Mail: info@kremer-pigmente.com

Importer: --

1.4. Emergency No.

Emergency No.: +49 7565 914480 (Mon-Fri 8:00 - 17:00)

1.4.2 Poison Center:

2. Hazards Identification

2.1. Classification of the Substance or Mixture

Classification according to Regulation (EC) No. 1272/2008 (CLP/GHS)

This product does not require classification and labelling as hazardous according to CLP/GHS.

Possible Environmental Effects:

2.2. Label Elements

Classification according to Regulation (EC) No. 1272/2008 (CLP/GHS)

This product does not require classification and labelling as hazardous according to CLP/GHS.

Hazard designation:

Not applicable.

Signal word:

Hazard designation:

Safety designation:

Hazardous components for labelling:

2.3. Other Hazards

No special hazards known.

3. Composition/Information on Ingredients

Substance

next page: 2

Safety Data Sheet

According to regulation (EC) No. 1907/2006 (REACH)



50095 XIRALLIC® NXT M260-70 SW Amur Black

Page 2

Revised edition: 23.08.2019

Version: 1.2

Printed: 07.01.2020

3.1.

3.2. **Mixture**

Chemical Characterization: Aluminium oxide laminated with iron oxide and additives.

Information on Components / Hazardous Ingredients:

Additional information:

4. **First Aid Measures**

4.1. **Description of the First Aid Measures**

General information:

Take affected persons out into the fresh air.

After inhalation:

Supply fresh air. Consult physician if symptoms persist.

After skin contact:

Wash off with water.

After eye contact:

Rinse eyes with water.

After ingestion:

Drink plenty of water. Get medical help in case of discomfort.

4.2. **Most important Symptoms and Effects, both Acute and Delayed**

Symptoms:

No further information available.

Effects:

No further information available.

4.3. **Indication of any Immediate Medical Attention and special Treatment needed**

Treatment:

No information available.

5. **Fire-Fighting Measures**

5.1. **Extinguishing Media**

Suitable extinguishing media:

Use extinguishing media for surrounding fire.

Unsuitable extinguishing media:

None known.

5.2. **Special Hazards arising from the Substance or Mixture**

Special hazards:

In case of fire: hazardous vapors may be released.

5.3. **Advice for Firefighters**

Protective equipment:

Wear self-contained respiratory protective device.

Further information:

Safety Data Sheet

According to regulation (EC) No. 1907/2006 (REACH)



50095 XIRALLIC® NXT M260-70 SW Amur Black

Page 3

Revised edition: 23.08.2019

Version: 1.2

Printed: 07.01.2020

6. Accidental Release Measures

6.1. Personal Precautions, Protective Equipment and Emergency Procedures

Personal precautions:

Do not inhale dust.

Evacuate the danger area, observe emergency procedures, consult an expert.

6.2. Environmental Precautions

Environmental precautions:

Prevent contamination of soil, drains and surface waters.

6.3. Methods and Material for Containment and Cleaning Up

Methods and material:

Take up mechanically and collect in suitable container for disposal. Rinse spill area. Avoid dust formation.

6.4. Reference to other Sections

Dispose of contaminated material according to Section 13.

7. Handling and Storage

7.1. Precautions for Safe Handling

Instructions on safe handling:

Avoid formation of dust. Do not inhale dust.

Hygienic measures:

No further measures, see Section 8.

7.2. Conditions for Safe Storage, including any Incompatibilities

Storage conditions:

Store in tightly sealed containers in a dry room.

Requirements for storage areas and containers:

No special measures necessary.

Information on fire and explosion protection:

No special measures necessary.

Storage class:

10-13 (TRSG 510)

Further Information:

7.3. Specific End Use(s)

Further information:

See Section 1.2.; no other uses provided

8. Exposure Controls/Personal Protection

8.1. Parameters to be Controlled

Parameters to be controlled (DE):

TRGS 900

TLV: 1.25 mg/m³ air-borne fraction (general dust limit)

TLV: 10 mg/m³ inhalable fraction (general dust limit)

next page: 4

Safety Data Sheet

According to regulation (EC) No. 1907/2006 (REACH)



50095 XIRALLIC® NXT M260-70 SW Amur Black

Page 4

Revised edition: 23.08.2019

Version: 1.2

Printed: 07.01.2020

Aluminium oxide (CAS 1344-28-1): AGW (TRGS 900): 1.25 mg/m³ (airborne dust), 10 mg/l/m³ (inhalable dust); 2(II)

Category II: substances with a resorptive effect.

Silicon dioxide, CAS 112926-00-8 (7631-86-9), TWA-Value: 4 mg/m³ (inhalable dust fraction)

Parameters to be controlled:

Derived No-Effect Level (DNEL):

Predicted No-Effect Concentration (PNEC):

Additional Information:

8.2. Exposure Controls

Technical protective measures:

Technical protective measures have priority to personal protective measures.

Personal Protection

General protective measures:

Wash hands before breaks and after work.

Respiratory protection:

Dust mask recommended when very dusty (with particle filter P1).

Hand protection:

Not required

Protective glove material:

Eye protection:

Safety glasses (EN 166)

Body protection:

Environmental precautions:

No special measures required.

9. Physical and Chemical Properties

9.1. Information on Basic Physical and Chemical Properties

Form: powder

Color: black

Odor: light

Odor threshold:

No information available.

pH-Value:

Melting temperature:

not available

Boiling temperature:

not available

Flash point:

next page: 5

Safety Data Sheet

According to regulation (EC) No. 1907/2006 (REACH)



50095 XIRALLIC® NXT M260-70 SW Amur Black

Page 5

Revised edition: 23.08.2019

Version: 1.2

Printed: 07.01.2020

not applicable

Evaporation rate:

No information available.

Flammability (solid, gas):

not available

Upper explosion limit:

no information available

Lower explosion limit:

no information available

Vapor pressure:

not applicable

Vapor density:

No information available.

Density:

4.3 g/cm³

Solubility in water:

insoluble

*Coefficient of variation (n-
Octanol/Water):*

no information available

Auto-ignition temperature:

No information available.

Decomposition temperature:

No data available.

Viscosity, dynamic:

not available

Explosive properties:

Product does not present an explosion hazard.

Oxidizing properties:

No information available.

Bulk density:

9.2. Further Information

Solubility in solvents:

Viscosity, kinematic:

Burning class:

Solvent content:

Solid content:

Particle size:

Other information:

10. Stability and Reactivity

next page: 6

Safety Data Sheet

According to regulation (EC) No. 1907/2006 (REACH)



50095 XIRALLIC® NXT M260-70 SW Amur Black

Page 6

Revised edition: 23.08.2019

Version: 1.2

Printed: 07.01.2020

10.1.	Reactivity	<i>Stable if used according to specifications.</i>
10.2.	Chemical Stability	<i>Stable at room temperature.</i>
10.3.	Possibility of Hazardous Reactions	<i>No information available.</i>
10.4.	Conditions to Avoid	<i>No further information available.</i>
	<i>Conditions to avoid:</i>	
	<i>Thermal decomposition:</i>	<i>No data available.</i>
10.5.	Imcompatible Materials	<i>No information available.</i>
10.6.	Hazardous Decomposition Products	<i>None known.</i>
10.7.	Further Information	
11.	Toxicological Information	
11.1.	Information on Toxicological Effects	
	<i>Acute Toxicity</i>	
	<i>LD50, oral:</i>	<i>No information available.</i>
	<i>LD50, dermal:</i>	<i>No information available.</i>
	<i>LC50, inhalation:</i>	<i>No information available.</i>
	<i>Primary effects</i>	
	<i>Irritant effect on skin:</i>	<i>No information available</i>
	<i>Irritant effect on eyes:</i>	<i>No information available.</i>
	<i>Inhalation:</i>	<i>No information available.</i>
	<i>Ingestion:</i>	<i>No information available</i>
	<i>Sensitization:</i>	<i>No relevant data found.</i>
	<i>Mutagenicity:</i>	<i>No relevant data found.</i>
	<i>Reproductive toxicity:</i>	<i>No relevant data found.</i>

next page: 7

Safety Data Sheet

According to regulation (EC) No. 1907/2006 (REACH)



50095 XIRALLIC® NXT M260-70 SW Amur Black

Page 7

Revised edition: 23.08.2019

Version: 1.2

Printed: 07.01.2020

Carcinogenicity:

No relevant data found.

Teratogenicity:

No information available.

Specific target organ toxicity (STOT):

No relevant data found.

Additional toxicological information:

Handle in accordance with good industrial hygiene and safety practice.

Avoid inhalation of dust. Even inert dusts can impair the function of the respiratory system.

12. Ecological Information

12.1. Aquatic Toxicity

Fish toxicity:

No data available.

Daphnia toxicity:

No information available.

Bacteria toxicity:

No data available.

Algae toxicity:

12.2. Persistency and Degradability

Methods for the evaluation of the biological degradability are not applicable for inorganic substances.

12.3. Bioaccumulation

No information available.

12.4. Mobility

No information available.

12.5. Results of PBT- und vPvP Assessment

On the basis of available data, the product does not contain and PBT or vPvB in percentage greater than 0.1 %.

12.6. Other Adverse Effects

Water hazard class:

1, slightly hazardous

Behaviour in sewage systems:

Further ecological effects:

When used properly, no ecological problems expected.

AOX Value:

13. Disposal Considerations

13.1. Waste Treatment Methods

Product:

Dispose of product residues according to the waste disposal guidelines 2008/98/EC as well as according to official national and

next page: 8

Safety Data Sheet

According to regulation (EC) No. 1907/2006 (REACH)



50095 XIRALLIC® NXT M260-70 SW Amur Black

Page 8

Revised edition: 23.08.2019

Version: 1.2

Printed: 07.01.2020

local regulations.

Do not mix with other waste.

European Waste Code (EWC):

Uncleaned packaging:

Contaminated packaging must be disposed like the substance.

Waste Code No.:

14. Transport Information

14.1. UN Number

ADR, IMDG, IATA

14.2. UN Proper Shipping Name

ADR/RID:

No hazardous goods according to ADR (land transportation).

IMDG/IATA:

No hazardous goods according to IMDG.

14.3. Transport Hazard Classes

ADR Class:

not applicable

Hazard no.:

Classification code:

Tunnel restriction code:

IMDG Class (sea):

Hazard no.:

EmS No.:

IATA Class:

not applicable

Hazard no.:

14.4. Packaging Group

ADR/RID:

not applicable

IMDG:

IATA:

14.5. Environmental Hazards

None

14.6. Special Precautions for User

Not classified as a dangerous good under transport regulations.

14.7. Transportation in Bulk according to Annex II of MARPOL 73/78 and IBC-Code

not applicable

14.8. Further Information

Safety Data Sheet

According to regulation (EC) No. 1907/2006 (REACH)



50095 XIRALLIC® NXT M260-70 SW Amur Black

Page 9

Revised edition: 23.08.2019

Version: 1.2

Printed: 07.01.2020

15. Regulatory Information

15.1. Safety, Health and Environmental Regulations/Legislation specific for the Substance or Mixture

Water hazard class:

1, slightly hazardous for water (German Regulation)

Local regulations on chemical accidents:

Seveso III Directive: not applicable under Directive 2012/18/EC.

Employment restrictions:

Restriction and prohibition of application:

EC. REACH, Section XVII, Restrictions on the Manufacture, Placing on the Market and Use of Certain Dangerous Substances, Preparations and Articles: not applicable

Technical instructions on air quality:

15.2. Chemical Safety Assessment

A Chemical Safety Assessment has not been carried out for this product.

15.3. Further Information

Regulation (EC) 850/2004 - Persistent organic pollutants and amending Directive 79/117/EEC: not regulated / not applicable
Regulation (EC) 1005/2009 - Substances that Deplete the Ozone Layer: not regulated / not applicable
Regulation (EC) 649/2012 concerning the export and import of dangerous chemicals: Not applicable
EC. REACH, Annex XIV, Candidate List of Substances of very High Concern (SVHC): not regulated / not applicable

16. Other Information

This product should be stored, handled and used in accordance with good hygiene practices and in conformity with any legal regulations. This information contained herein is based on the present state of knowledge and is intended to describe our product from the point of view of safety requirements. It should be therefore not be construed as guaranteeing specific properties.